



*Creating Solid  
Connections  
With Every Weld*

# **PRODUCT CATALOGUE**



Please note that RackTurn Weld Inc. is constantly working on new and improved designs and this product catalogue serves only as a quick reference for products and may not include all available features and options.


# Index

<b>Heavy Duty Snow Pushers</b>	1
<b>Bale Spears</b>	3
<b>Heavy Duty Forks</b>	4
<b>Box Blades</b>	5
<b>Box Planes</b>	6
<b>Swiv Blades</b>	7
<b>Bale Grappler</b>	8
<b>Stump Buckets</b>	9
<b>Swiv Scrapes</b>	10
<b>Land Planes</b>	11
<b>Rear Hitches</b>	12
<b>Buckets/Stone Buckets</b>	14
<b>Lawn Rollers</b>	15
<b>Cherry Pickers</b>	17
<b>Adapters</b>	18
<b>3PTH Carriers</b>	19
<b>Bollards/Snow Markers</b>	20
<b>Weights</b>	21

# Heavy Duty Snow Pushers

## Features for 4' to 7' Pushers

- Front to back pivot
- Double sidewall plate added for more structure
- Heavy Duty built
- Custom color
- Poly, rubber, or steel options for shoes and blades.
- Comes with hardware
- Back drag option (comes with blade)
- Side walls bolt-on snow marker option



## Attachment options

- Standard Skidsteer
- JD Compact 1-4 Series
- Mini SSQA
- Dingo SSQA
- ALO EURO
- VOLVO L70
- VOLVO L50
- GEHL
- Schaffer
- Manitou
- UHI UWL825HT Wheel Loader



## SIZE 4'

- Opening - 15"H x 48.5"W
- 390lb
- Compatible for 10-15 HP tractors

## SIZE 4.5'

- Opening -19 "H x 54.5"W
- 330lb
- Compatible for 15-20 HP tractors

## SIZE 5'

- Opening -19 "H x 60.5"W
- 390lb
- Compatible for 15-25 HP tractors

## SIZE 5.5'

- Opening -19 "H x 66.5"W
- 475lb
- Compatible for 18-30 HP tractors

## SIZE 6'


- Opening -23 "H x 72.5"W
- 560lb
- Compatible for 20-35 HP tractors

## SIZE 6.5'

- Opening -23 "H x 78.5"W
- 650lb
- Compatible for 20-40 HP tractors

## SIZE 7'

- Opening -26 "H x 84.5"W
- 745lb
- Compatible for 40-70 HP tractors



# Heavy Duty Snow Pushers

## Features for 8' to 14' Pushers

- Front to back pivot
- Double sidewall plate added for more structure
- Heavy Duty built
- Reversible blades
- Custom color
- Backdrag is closed off (comes with blade)
- Side walls bolt-on snow markers option

## Attachment options

- Standard Skidsteer
- JD Compact 1-4 Series
- Mini SSQA
- Dingo SSQA
- ALO EURO
- VOLVO L70
- VOLVO L50
- GEHL
- Schaffer
- Manitou
- UHI UWL825HT Wheel Loader

---

### SIZE 8'

- Opening -31"H x 97"W
- 940lb
- Compatible for 70-95 HP tractors

### SIZE 9'

- Opening -34.5"H x 109"W
- 1,275lb
- Compatible for 95-120 HP tractors

### SIZE 10'


- Opening -34.5"H x 124"W
- 1,730lb
- Compatible for 100-120 HP tractors

### SIZE 12'

- Opening -37"H x 144"W
- 2,100lb
- Compatible for 125+ HP tractors

### SIZE 14'

- Opening -37"H x 168.5"W
- 2,470lb
- Compatible for 125+ HP tractors



# Bale Spears

## SSQA Universal Hookup 2/3 Prong

2 Prong Options  
-39" long, 1.75" round tines (2,000 lb rated)  
-49" long, 1.75" round tines (2,000 lb rated)  
-Back rack not included

3 Prong Options  
-39" long, 1.75" round tines (2,000 lb rated)  
-49" long, 1.75" round tines (2,000 lb rated)  
-Extendable back rack option

## JD Compact Hookup 2/3 Prong

2 Prong Options  
-39" long, 1.75" round tines (2,000 lb rated)  
-49" long, 1.75" round tines (2,000 lb rated)  
-Back rack not included

3 Prong Options  
-39" long, 1.75" round tines (2,000 lb rated)  
-49" long, 1.75" round tines (2,000 lb rated)  
-Extendable back rack option


## ALO Universal Hookup 2/3 Prong

2 Prong Options  
-39" long, 1.75" round tines (2,000 lb rated)  
-49" long, 1.75" round tines (2,000 lb rated)  
-Back rack not included

3 Prong Options  
-39" long, 1.75" round tines (2,000 lb rated)  
-49" long, 1.75" round tines (2,000 lb rated)  
-Extendable back rack option

### Bolt On Bale Spear Back Rack


- includes hardware
- Compatible for all bale spear backing plates
- heavy duty built
- Painted custom



# Heavy Duty Forks

## All Fork Attachment Options

- 42' Forks x2 (1,800lb rated ea)
- 48' Forks x2 (1,800lb rated ea)
- 48" Heavy Duty Forks x2 (3,000lb rated ea)
- backing rack option (includes hardware)
- Pin-on options



## Mini SSQA to Forks

- 75lb without forks
- custom color



## SSQA to Forks

- 120lb without forks
- custom color




## JD Compact to Forks

- 92lb without forks
- custom color

## ALO Universal to Forks

- 127lb without forks
- custom color



# Box Blades

## 4.5' Box Blade 295lb

### Single Bevel

- 1 hardened tip cutting edge
- four adjustable hardened teeth
- CAT 1 hookup
- includes hardware

### Double Bevel

- 1 reversible hardened tip cutting edge
- four adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 15-20 HP tractors

## 5' Box Blade 320lb

### Single Bevel

- 1 hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware

### Double Bevel

- 1 reversible hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 15-25 HP tractors

## 6' Box Blade 350lb

### Single Bevel

- 1 hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware

### Double Bevel

- 1 reversible hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 20-35 HP tractors

## 7' Box Blade 385lb

### Single Bevel

- 1 hardened tip cutting edge
- six adjustable hardened teeth
- CAT 1 hookup
- includes hardware

### Double Bevel

- 1 reversible hardened tip cutting edge
- six adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 40-70 HP tractors



## 8' Box Blade 415lb

### Single Bevel

- 1 hardened tip cutting edge
- seven adjustable hardened teeth
- CAT 1 hookup
- includes hardware

### Double Bevel

- 1 reversible hardened tip cutting edge
- seven adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 70-95 HP tractors



# Box Planes

## 5' Box Plane/Single

- 2 hardened tip cutting edge
- removable back plate for gravel flow
- six adjustable teeth
- CAT 1 hookup
- includes hardware
- 500lb
- Compatible for 15-25 HP tractors

## 5' Box Plane/Double

- 2 reversable hardened tip cutting edges
- removable back plate for gravel flow
- six adjustable teeth
- CAT 1 hookup
- includes hardware
- 500lb
- Compatible for 15-25 HP tractors



## 6' Box Plane/Single

- 2 hardened tip cutting edge
- removable back plate for gravel flow
- seven adjustable teeth
- CAT 1 hookup
- includes hardware
- 570lb
- Compatible for 20-40 HP tractors

## 6' Box Plane/Double

- 2 reversable hardened tip cutting edges
- removable back plate for gravel flow
- seven adjustable teeth
- CAT 1 hookup
- includes hardware
- 570lb
- Compatible for 20-40 HP tractors

Adjustable back plate for gravel flow.



# Swiv Blades

## Swiv Blade for 4'-7' Pushers

- 9 adjustable slot locations
- ball point pins for easy adjusting
- .125 blade wall
- 1 blade included (rubber option)
- custom color
- Snow pusher not included
- compatible with sizes 4' to 7' snow pushers





Steel, rubber, or poly option  
for blade (includes hardware).

# Bale Grappler

## Bale Grappler x10

- 24 tines (zinc-plated)
- frame is made out of .188 mat.
- 1.78" round skis for easy gliding
- comes with Bolt-On plates for hookup
- SSQA or ALO
- frame is epoxy coated
- x2 divider plates (zinc-coated)
- fully adjustable tine locations
- 8-10 bales capacity
- weighs 710lb
- comes with x1 hydraulic cylinder
- comes with 8ft hydraulic lines
- compatible for 40+ HP tractors/skid steers



-full 90 deg rotation of teeth for an assured grip to the bale

-ski's can be removed to handle larger bales




-an absolute breeze to quickly load and unload the always needed small bales (18x36x16 high)



# Stump Buckets


## 36" Mini Stump Bucket

- Comes in SSQA and JD Compact hookups
- 1.5" teeth
- .25" jagged sides
- double-plated side walls
- 175lb




## 60" SSQA Stump Bucket/Thumb

- Comes in SSQA and JD Compact hookups
- top thumb included
- 1.5" teeth
- .25" jagged sides
- Double-plated side walls
- 540lb
- Hydraulic cylinder included
- 8ft lines included



## 60" SSQA Stump Bucket


- 1.5" thick teeth
- 3 teeth
- .25 jagged sides
- double-plated side walls for more structure
- Double plated back wall for more strength
- weighs 290lb



# Swiv Scrapes


## Manual Swiv Scrapes

- Sizes 6' to 9'
- Angling up to 30 degrees both directions
- skidsteer or ALO universal attachment
- .188" blade wall
- 1 reversable blade included
- rubber blade option
- custom color
- heavy duty
- heavy duty pin included for locking in the angle



## Hydraulic Swiv Scrapes

- Sizes 6' to 9'
- x1 cylinder included in hydraulic option
- protective shield for extended hydraulic cylinder
- 8ft hydraulic lines included
- Angling up to 30 degrees both directions
- skidsteer or ALO universal attachment
- .188" blade wall
- 1 reversable blade included
- rubber option for blade
- custom color
- heavy duty



# Land Planes

## 5ft Land Plane/Single

- 2 single bevel cutting edges
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 6 teeth included
- custom color
- CAT 1 hookup
- 410lb
- Compatible for 15-25 HP tractors

## 5ft Land Plane/Double



- 2 double bevel cutting edges (reversible)
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 6 teeth
- custom color
- CAT 1 hookup
- 410lb
- Compatible for 15-25 HP tractors

## 6ft Land Plane/Single

- 2 single bevel cutting edges
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 7 teeth
- custom color
- CAT 1 hookup
- 450lb
- Compatible for 20-35 HP tractors

## 6ft Land Plane/Double

- 2 double bevel cutting edges (reversible)
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 7 teeth
- custom color
- CAT 1 hookup
- 450lb
- Compatible for 20-35 HP tractors



# Rear Hitches

## Quick I-Hitch

### **Cat 1 I-Hitch**

- Custom color
- Weight 56 lb
- Item size 31"x25"x6.5"
- 2,000 lb rated
- CAT 1 Hookup
- Bushing required (not included)



## Cat 0 A Frame Hitch

- Custom Color
- Weight 14 lbs
- Item size 25.5"x14.5"x7"
- includes x2 pins
- 800 lb rated



## Cat 1 A Frame Hitch

- Custom color
- Weight 25 lbs
- Item size 32"x20.5"x7"
- includes x2 pins
- 1,000 lb rated



## Cat 2 A Frame Hitch

- Custom color
- Weight 50 lbs
- Item size 37.75"x20"x9"
- includes x2 pins
- hook welded onto hitch tube
- 1,000 lb rated



## Cat 0 Suitcase Weight Hitch

- Custom Color
- Weight 21 lbs
- Item size 25.5"x14.5"x7"
- includes x2 pins
- 800 lb rated



# Rear Hitches


## Cat 1 Suitcase Weight Hitch

- Custom color
- Weight 25 lbs
- Item size 32"x20.5"x7"
- hook welded onto hitch tube
- includes x2 pins
- 2,000 lb rated



## Cat 2 Suitcase Weight Hitch

- Custom color
- Weight 55 lbs
- Item size 37.75"x20"x9"
- chain hook welded onto hitch tube
- includes x2 pins
- 1,000 lb rate



## Cat 3 A Frame/Suitcase Hitch


- Custom Color
- Weight 105 lbs
- Item size 44.5"x25"x7"
- 14,000 lb rated
- Fits a CAT 3N or 3 lift arm setup
- Comes with x2 chain hooks
- includes x2 pins
- Both options of a 2" or 2.5" hitch insert opening



# Buckets/Stone Buckets

## Heavy Duty Bucket Options for All Sizes

- Low profile
- SSQA
- custom color
- hardened tip cutting edge
- double back wall plate added for more structure
- Hardened reversable cutting edge



### SIZE 4'

- 18"tall
- 24"deep
- 246lb

### SIZE 5'

- 18"tall
- 24"deep
- 308lb

### SIZE 6'

- 20"tall
- 28"deep
- 370lb

### SIZE 7'

- 20"tall
- 28"deep
- 432lb

## Heavy Duty Stone Bucket Options for All Sizes

- Low profile
- Mini SSQA, SSQA Standard or JD Compact
- Heavy Duty (.375" teeth)
- Light Duty (.25" teeth)
- Hardened jagged edge to ensure lifetime use
- custom color



### SIZE 4'

- 18"tall
- 24"deep
- 190lb
- 2.5" teeth spacing

### SIZE 5'

- 18"tall
- 24"deep
- 205lb
- 2.75" teeth spacing

### SIZE 6'

- 20"tall
- 28"deep
- 370lb
- 2.75" teeth spacing

### SIZE 7'

- 20"tall
- 28"deep
- 420lb
- 3.5" teeth spacing

### SIZE 8'

- 20"tall
- 28"deep
- 470lb
- 3.5" teeth spacing

## Medium Duty

### 4 ft Lawn Roller 1,200 lbs

- Item size 61"x62.5"x26
- Recommended for 15-30 HP tractors
- Weight 255 lbs (empty)
- .125 wall
- pillow-block bearings
- custom hookup



### 5 ft Lawn Roller 1,400 lbs

- Item size 70"x62.5"x26
- Recommended for 15-30 HP tractors
- Weight 290 lbs (empty)
- .125 wall
- pillow-block bearings
- custom hookup

### 6 ft Lawn Roller 1,600 lbs

- Item size 70"x74"x26
- Recommended for 30+ HP tractors
- Weight 325 lbs (empty)
- .125 wall
- pillow-block bearings
- custom hookup



## Heavy Duty

### 4 ft Lawn Roller

#### 24" Drum Diameter

- 320lb (empty)
- 1100lb (full)
- drum wall THK .188"
- endplate wall THK .25"

#### 30" Drum Diameter

- 400lb (empty)
- 1620lb (full)
- drum wall THK .188"
- endplate wall THK .25"

#### 36" Drum Diameter

- 670lb (empty)
- 2170lb (full)
- drum wall THK .25"
- endplate wall THK .375"

### 5 ft Lawn Roller

#### 24" Drum Diameter

- 410lb (empty)
- 1385lb (full)
- drum wall THK .188"
- endplate wall THK .25"

#### 30" Drum Diameter

- 530lb (empty)
- 2055lb (full)
- drum wall THK .188"
- endplate wall THK .25"

#### 36" Drum Diameter

- 725lb (empty)
- 2055lb (full)
- drum wall THK .25"
- endplate wall THK .375"

### 6 ft Lawn Roller

#### 24" Drum Diameter

- 460lb (empty)
- 1630b (full)
- drum wall THK .188"
- endplate wall THK .25"

#### 30" Drum Diameter

- 640lb (empty)
- 2440lb (full)
- drum wall THK .188"
- endplate wall THK .25"

#### 36" Drum Diameter

- 1085lb (empty)
- 3335lb (full)
- drum wall THK .25"
- endplate wall THK .375"

### Features on all sizes


- edges are rounded so grass dig-up is prevented
- custom color
- pillow-block bearings
- custom hookup



# Cherry Pickers

## 24" Arm

- 3" Sq tubing structure
- custom color
- SS hook with clevis pin
- For suitcase weight models
- Item size 27"x10"x3"
- 1,500 lbs rated
- weighs 25 lbs



## 48" Arm


- 2.5 Sq tubing structure
- custom color
- For suitcase weight models
- SS hook with clevis pin
- Item size 51"x36"x4"
- 1,200 lbs rated
- Weighs 35 lbs



# Adapters

## SS to Hitch

- .25" back wall
- .25" side walls




## Mini SS to Hitch

- .375" back wall
- .25" side walls

## PIN ON CONVERSIONS TO MALE SSQA

- can be any pin on loader arms which converts to standard ssqa hookup latches



## ALO & SSQA bracket bolt-on Mount Plates


- .375" wall
- BOLTS INCLUDED



# 3PTH Carriers

## Tool Carrier


- 54"W x 36" L
- 33" height
- 2x2 tubing/angle structure
- Fork pocket slots
- custom color
- 8"x3" steel compartment for small tools
- No pins included
- Mesh base
- 140lb



Mesh Base

## Firewood Carrier

- 60"W x 36" L
- 33" height
- 2x2 tubing/angle structure
- Fork pocket slots
- custom color
- 8"x3" steel compartment for small tools
- No pins included
- mesh base
- 250lb




# Bollards/Snow Markers

## Bollards

- 42" tall
- 3.5"OD .5" wall pipe
- high reflective tape
- dome head

- 48" tall
- 3.5"OD .5" wall pipe
- high reflective tape
- dome head



## Snow Markers

- 51" tall
- .375 Rod
- 4 sided
- hole located on the head for easy spring hang-up
- High reflective tape



# Weights


## Suitcase Weights

- 1.375 mat.
- 13" tall x11" wide
- painted
- with rounded handle
- 40lb ea




## CAT 1 or 2 Weight box

- 250-600 lb
- 30.5" tall x24" wide
- CAT 1 tractor hookup
- Lid placed solid
- Drain holes in the base
- Custom color
- Pins included



## CAT 1 Quick Connect Weight Box

- 250-600 lb
- quick hitch compatible
- 28" tall x24" wide
- CAT 1 tractor hookup
- Lid is removable
- Drain holes in the base
- Custom color
- Pins included
- 3 tool holders on 1 side
- Includes a hitch and hook setup on the back side
- Includes quick connect bar



## CAT 2 Quick Connect Weight Box

- 250-1,000 lb
- quick hitch compatible
- 32" tall x31" wide
- CAT 2 tractor hookup
- Lid is removable
- Drain holes in the base
- Custom color
- Pins included
- 3 tool holders on 1 side
- Includes a hitch and hook setup on the back side
- Includes quick connect bar

