

**STRENGTH, PRECISION,
PURPOSE.**

**AT RT ATTACH, WE BUILD MORE THAN
ATTACHMENTS; WE BUILD SOLID
CONNECTIONS THAT KEEP YOUR
MACHINES MOVING AND YOUR BUSINESS
GROWING. DESIGNED, FABRICATED, AND
FINISHED IN CANADA — BUILT TO LAST,
READY FOR ANYTHING.**

FIND YOUR NEAREST DEALER ON OUR WEBSITE



**CREATING SOLID
CONNECTIONS WITH
EVERY WELD**

PRODUCT CATALOGUE

2027 EDITION



DESIGNED, FABRICATED & FINISHED IN CANADA

Canadian Winters Hit Hard

**RT WINTER
EQUIPMENT
HITS HARDER**



100% Canadian Made Products

100% Canadian Made Products



**Turn Up The Sun
RT IS BUILT
FOR LONG
SUMMER DAYS**

PLEASE NOTE

that RT ATTACH
is constantly working on new &
improved designs and this product
catalog serves only as a quick
reference for products and may
not include all available features
and options.

Contact Us



WWW.RTATTACH.COM

• <u>Snowpushers</u>	<u>2</u>
• <u>Swiv Blades</u>	<u>4</u>
• <u>Swiv Scrapes</u>	<u>4</u>
• <u>Snow Throwers</u>	<u>5</u>
• <u>Bale Spears</u>	<u>6</u>
• <u>Bale Grapplers</u>	<u>7</u>
• <u>Forks Attachments</u>	<u>8</u>
• <u>Box Blades</u>	<u>9</u>
• <u>Box Planes</u>	<u>10</u>
• <u>Land Planes</u>	<u>11</u>
• <u>Lawn Rollers</u>	<u>12</u>
• <u>Sweepers</u>	<u>13</u>
• <u>Aerators</u>	<u>14</u>
• <u>Stump Buckets</u>	<u>15</u>
• <u>Stone Forks</u>	<u>16</u>
• <u>Buckets</u>	<u>17</u>
• <u>Carriers</u>	<u>18</u>
• <u>Cherry Pickers</u>	<u>18</u>
• <u>Hitches</u>	<u>19</u>
• <u>Rear Weights</u>	<u>21</u>
• <u>Adapters</u>	<u>22</u>
• <u>Switch Blade</u>	<u>23</u>

FEATURES FOR ALL SIZES

-Smooth front-to-back **pivoting** for fast, precise angle adjustments



-Double-plated sidewalls for more structure
-Heavy Duty
-Poly, rubber, and AR400 material options for **shoes & blades**

NOTE: Poly & Rubber options only apply to 2.5'-7' snowpushers

-Standard and custom **hookup** made with the bolt-on style, connected with heavy duty pin, made to last.



-Entire snowpusher painted with a two-part epoxy coating for a long-lasting shine.
-**Closed off back drag** for a tight controlled pull back on the snow, producing a clean path.



-**Open back drag** with a top gap for less overall pusher weight but still gives you a solid scraping performance



-All cutting edges are reversible for quick switching if necessary
-Reflective **side markers** (bolt-on)



The seller is not responsible for any rust or corrosion that may develop over time. All attachments are built from heavy-duty mild steel with a durable two-part epoxy finish, but exposure to moisture, salt, and regular wear can naturally lead to surface rust. Proper care and maintenance are the responsibility of the owner.

CONVERSION ADAPTERS

Female Mini SSQA to Male SSQA




YANMAR YL210 QA to Male Mini SSQA

Switch Blade

ADD-ON FOR THE RT SNOWPUSHER

Use your snowpusher all year long!

Get this Add-On feature for your 4ft-8ft RT snowpusher! Bigger sizes coming! Very simple to bolt-on and set up on your existing snowpusher.



-Can be purchased separate from the snowpusher
-Quick connect side plates to bolt on once (can leave on for winter)
-Wheel frames are easy attached and removable
-Tines are adjustable in depth manually.
-2 air tires included for rear of snowpusher
-Includes a 2.3125" ball hitch
-Optional carbide teeth




RT Attach offers a wide range of adapters — the selection below represents just a sample. Custom designs for loaders, skid steers, and tractors are easily handled in-house with quick turnaround times.

HITCH PLATE ADAPTERS

Hookup to Hitch Plates

- Hitch tube is securely welded onto the back plate
- Painted with a two-part epoxy coating
- Gussets supporting the hitch have holes for chain hooks
- Supporting all standard and custom hookups



BOLT-ON PLATE ADAPTERS

Bolt-On Plates

- Supporting all standard and custom hookups
- Heavy Duty built for reassuring strength
- All required hardware included
- Painted with a two-part epoxy coating
- Bolt slots in plates are horizontal for easy adjusting to bolts

ALO Bolt-On Plates




WELD-ON ADAPTERS

Weld-On Plates

- Does not come painted
- Flat backside for welding onto desired equipment
- Supporting all standard and custom hookups
- Weld-On ears are also included in range

ASV RT 25,30,40 Weld-on Plate




CONVERSION ADAPTERS

Conversion Mounts

Offering a wide range of conversion mounts, each adapter is built with precision and engineered for reliable, accurate fitment across multiple hookup styles.

BX Ai2 3- Pin-On to Male SSQA



Continued on next page....

SNOWPUSHER SPECS

2.5ft Snowpusher

Weight w/o hookup-215lb
Size w/o hookup-31"x27"x22"
Rated for-10-15HP

4ft Snowpusher

Weight w/o hookup-230lb
Size w/o hookup-49"x28"x22"
Rated for-10-15HP

4.5ft Snowpusher

Weight w/o hookup-275lb
Size w/o hookup-55"x28"x22"
Rated for-15-20HP

5ft Snowpusher

Weight w/o hookup-320lb
Size w/o hookup-64"x28"x22"
Rated for-15-25HP

5.5ft Snowpusher

Weight w/o hookup-330lb
Size w/o hookup-71"x29"x22"
Rated for-18-30HP

6ft Snowpusher

Weight w/o hookup-455lb
Size w/o hookup-77"x35"x24"
Rated for-20-35HP

6.5ft Snowpusher

Weight w/o hookup-470lb
Size w/o hookup-83"x36"x24"
Rated for-20-40HP

7ft Snowpusher

Weight w/o hookup-625lb
Size w/o hookup-89"x42"x28"
Rated for-40-70HP

8ft Snowpusher

Weight w/o hookup-800lb
Size w/o hookup-101"x48"x31"
Rated for-70-95HP

9ft Snowpusher

Weight w/o hookup-1,120lb
Size w/o hookup-113"x56"x35"
Rated for-95-120HP

10ft Snowpusher




Weight w/o hookup-1,440lb
Size w/o hookup-124"x60"x35"
Rated for-100-120HP

12ft Snowpusher

Weight w/o hookup-1,945lb
Size w/o hookup-151"x71"x38"
Rated for-125+HP

14ft Snowpusher


Weight w/o hookup-2,450lb
Size w/o hookup-174"x71"x38"
Rated for-125+HP



**ALL SIZES ARE COMPATIBLE WITH
THE LAND LEVELER ADDITION ON
PAGE 23**

SWIV BLADE FOR 4' TO 7' SNOWPUSHERS

- 9 adjustable slot locations
- Ball point pins for easy adjusting
- Cutting edge + hardware included per unit
- Snow pusher not included
- Entire assembly painted with a two-part epoxy paint for a long lasting shine.



Swiv Scrapes


MANUAL/HYDRUALIC SCRAPES

- Available in Sizes 6ft - 9ft
- Angles up to 30 degrees in both directions
- Standard and custom hookup plates
- Reversible cutting edge included (rubber, poly, or AR400 material options)
- Entire assembly painted with a two-part epoxy paint for a long lasting shine.
- Entire frame is heavy-duty built to ensure your grandson's use.
- Angling shoes on both side of the blade
- Heavy duty pin included for locking in the angle of the scrape



Hydraulic Specs


- x1 hydraulic cylinder included
- Protective shield for extended cylinder
- 8ft hydraulic lines included



REAR WEIGHT BOXES

Standard Weight Box

- Available in CAT 1 and 2 styles
- 250-600lb weight range
- Prefilled to requested weight within range
- Lid is welded solid
- Coated with a two-part epoxy paint for a long lasting shine
- Pins and washers included




Quick-Connect Weight Box

- Available in CAT 1 and 2 styles
- 250-1,000lb weight range
- Prefilling option
- Quick hitch compatible
- Lid is removable for easy inside access
- Drain holes located in the base
- Coated with a two-part epoxy paint for a long lasting shine
- Pins and quick-connect bar are included
- 3 tool holders on side of box
- Includes a hitch receiver and hook



Quick-Connect Bar (comes loose)



HITCH WEIGHTS

40lb Weights

- 13"x11"x1.375" size
- Painted
- Rounded handle for gentle-handling
- weigh 40lb each



The CAT 1 Hitch can hold up to x10 40lb Weights.

I-HITCH STYLE

Cat 1 Quick I-Hitch

- Weight 56lb
- Size 31"x25"x7"
- 2,000lb rated
- Quick-connecting feature for super simple hookups



Cat 3 Quick I-Hitch

- Weight 56lb
- Size 31"x25"x7"
- 2,000lb rated
- Quick-connecting feature for super simple hookups
- Compatible with the RT CAT 3 A-Frame Style Hitch

CAT 2 available upon request



Super Feature Hitches



Cat 1 & 2 Quick I-Hitch

- Weight 120lb
- Size 31"x9"x27"
- 10,000lb rated
- Compatible with both CAT 1 and 2 hookups
- Quick-connecting feature for super simple hookups
- Comes with all hardware required to switch in between sizes

Cat 2 & 3 Quick I-Hitch

- Weight 120lb
- Size 45"x9"x30"
- 14,000lb rated
- Compatible with both CAT 2 and 3 hookups
- Quick-connecting feature for super simple hookups
- Comes with all hardware required to switch in between sizes




FROSTBITE SNOW THROWER 54" AND 64"

Included Features

- Painted with an olive green two-part epoxy paint for a long lasting shine.
- Belt clutch included
- 12" Auger rotor/ larger Dia. 4 blade fan.
- Bolt-on UHMY material skid shoes and cutting shoes.
- An all-weather cranking AMP battery
- Rear 3 point connect with Quick I-hitch for all front hookups
- super-easy to switch from the front to the back.
- Both sizes are compatible with all add-on options

-Electric hood shoot rotation

-Front hookup for JD Compact, Standard SSQA, and Mini SSQA (Dingo).



Add-Ons

- Electric start
- Quick I-hitch for rear hookup
- Engine throttle control actuator
- Blower clutch control actuator
- 72" upgrade width (Add-on wings)
- Manual hood deflector

Scan to watch the rear hookup in action — you won't believe how simple it is.






FEATURES & OPTIONS


Tine Lengths Compatible with all Frames

- 39" long tines, 1.75" Dia., rated 2,000lb/ea
- 49" long tines, 1.75" Dia., rated 2,000lb/ea
- Longer options upon request



Bolt-On Guardrail

- Comes with necessary hardware
- An extra 17" height
- Compatible with RT Fork Backing plates
- Painted with a two-part epoxy coating



Built-In Guardrail

- Heavy Duty
- Extendable for preferred height
- Comes with necessary pins
- An extra 66" height
- Painted with a two-part epoxy coating
- Built-in side feet for upright position when unattached to equipment


Backing plate

- Standard & custom hookups
- In-house design team for fast, accurate custom hookup solutions.
- Heavy Duty built for long-lasting use
- Bale bushings securely welded along the bottom brace.
- Removable tines feature for all frames
- Frame ratings matching the capacity of your loader, tractor, skid steer.

A-FRAME STYLE

Sizes

- CAT 0 Hitch 800lb rated (26"x7"x15")
- CAT 1 Hitch 1,000lb rated (32"x7"x21")
- CAT 2 Hitch 2,000lb rated (38"x9"x20")



Features

- Painted with a two-part epoxy coating
- Pins and washers included

SUITCASE STYLE

Sizes

- CAT 0 Hitch 800lb rated (22"x7"x15")
- CAT 1 Hitch 1,000lb rated (32"x9"x21")
- CAT 2 Hitch 2,000lb rated (38"x9"x20")



Features

- Painted with a two-part epoxy coating
- Pins and washers included
- Compatible with Suitcase weights (page 15)
- Hook rings welded beside hitch tube

CAT 3 STYLE


- CAT 3 A-Frame 14,000lb rated
- Size 45"x25"x7"
- Fits a CAT 3N or 3 lift arm setup
- Includes x2 chain hooks welded onto base bar
- Pins included
- Comes with 2" and 2.5" insert option for the hitch tube



ADD-ONS

Fifth Wheel Hitch Adapter

- Heavy Duty
- Compatible with the A-Frame and Suitcase styles
- 2,000-4,000lb rated
- Comes in CAT 1 and 2 options
- Easy to connect and disconnect



TOOL/ FIREWOOD CARRIERS

Tool Carrier

- CAT 1 hookup
- 54" wide by 36" long
- 2x2 tubing/angle structure
- Fork pocket slots for easy transferring and storing
- Mesh base
- Tool compartment welded onto frame for small tools and equipment
- Weighs 140lb



Firewood Carrier

- CAT 1 hookup
- 60" wide by 36" long
- 2x2 tubing/angle structure
- Fork pocket slots for easy transferring and storing
- Mesh base
- Tool compartment welded onto frame for small tools and equipment
- Weighs 250lb



Cherry Pickers

24" AND 48" ARMS

24" Arm Features

- Made with structural tubing for impressive lifting capacity
- Hook included for using chains or ropes
- Fits Suitcase style Hitches



48" Arm Features


- Made with structural tubing for impressive lifting capacity
- Hook included for using chains or ropes
- Fits Suitcase and A-Frame style Hitches
- Extra arm brace that slides into hitch receiver on the hitch
- Hardware included




X10 BALE GRAPPLER

Features


- Comes with x24 curved tines that are zinc-coated for rust prevention



- 90 degree rotation on the teeth for an assured grip to the bale
- Lightweight but sturdy frame
- Round skis for smooth running
- Skis are removable to handle larger bales



- x1 hydraulic cylinder for tight bale clamping
- 8ft hydraulic lines included
- Standard & custom hookups
- Frame painted with a two-part epoxy coating for long lasting shine
- Divider plates on both ends for steering bales into correct slots (removable)
- fully adjustable teeth locations
- Weight 710lb when empty
- Compatible for 40+ HP tractor/skidsteer
- Capacity to hold x10 bales(18x36x16)
- Hookup plates are bolted onto the frame so swapping hookup is an option if necessary



****A Perfect Addition to the RT Hitch****




SIZES & OPTIONS

Class 2A Forks

- 3"x42" Forks 900lb rated/ea
- 3"x48" Forks 900lb rated/ea
- 3"x42" Forks 2,000lb rated/ea
- 3"x48" Forks 2,000lb rated/ea
- 5"x48" Forks 5,000lb rated/ea

Class 3A Forks

- 5"x72" Forks 7,500lb rated/ea
- 6"x72" Forks 10,000lb rated/ea
- 6"x96" Forks 10,000lb rated/ea




Backing Plates

- Standard & Custom plates. With in-house designing, custom is quick and very cost efficient.
- Heavy duty built
- Plates are rated according to the forks paired with it
- Top bar of the backing plate compatible with adjusting forks and locking them in place.
- Available in Class 2 and 3
- Guardrail and hitch option
- Painted with a two-part epoxy coating to ensure a lifelong shine

Add-Ons

- Guardrail with hardware for easy bolting onto your backing plate for an extra 17" height. Also compatible for the RT Bale Spear Attachments
- Made from .25 thick steel for a sturdy structure



- Hitch Receiver with hardware to bolt onto bottom of your plate. Compatible with all plates. Easy to remove and reassemble.

SIZES AND OPTIONS

Lengths

- 48" long (weight 246lb)
- 60" long (weight 308lb)
- 72" long (weight 370lb)
- 84" long (weight 435lb)
- Custom Lengths

Hookups

- Standard including SSQA, Dingo, Mini SSQA, JD Compact, ALO, etc.
- Custom hookups

Low Profile




Features for all Sizes

- Painted with a two-part epoxy to ensure a lifelong shine
- Bottom braces for extra strength in the build
- Welded-on beveled cutting edge included

Add-Ons for all Sizes

- Single beveled cutting edge to bolt on the front of the bucket, hardware included
- Double beveled cutting edge to bolt on the front of the bucket, hardware included



****The RT Low Profile Buckets can be used as an addition to the RT Sweeper as a dust pan. See Page 13 for more info.****



SIZES AND SPECS

Lengths

- 48" long (weight 190lb)
- 60" long (weight 205lb)
- 72" long (weight 370lb)
- 78" long (weight 400lb)
- 84" long (weight 420lb)




Hookups

- Standard including SSQA, Dingo, Mini SSQA, JD Compact, ALO, etc.
- Custom hookups

Heavy Duty vs Light Duty


- Light Duty comes with .25" mild steel teeth
- Heavy Duty comes with .375" mild steel teeth
- All sizes comes with the teeth options



Features for all Sizes

- Continuous teeth along the whole fork, with a 2.75" gap between each tooth
- Painted with a two-part epoxy coating to ensure a long lasting shine
- Jagged side walls for clean slicing through dirt, roots, and brush
- Brace welded along the fork, strengthening the build and teeth
- Hardened jagged cutting edge to ensure lifetime use (not replaceable)

Jagged Side walls



SIZES AND SPECS

4ft & 4.5ft Long


- CAT 1 hookup
- 2 hardened tip cutting edges
- 4 hardened, adjustable teeth (replaceable)
- Weights 280-290lb
- Rated for 15-20 HP

5ft & 6ft Long

- CAT 1 and 2 hookup
- 2 hardened tip cutting edges
- 5 hardened, adjustable teeth (replaceable)
- Weights 320-350lb
- Rated for 20-35 HP

7ft Long

- CAT 1, 2, 3 hookup
- 2 hardened tip cutting edges
- 6 hardened, adjustable teeth (replaceable)
- Weights 385lb
- Rated for 40-70 HP




8ft Long

- CAT 1, 2, 3 hookup
- 2 hardened tip cutting edges
- 7 hardened, adjustable teeth (replaceable)
- Weights 415lb
- Rated for 70-95 HP

Cutting Edges Options for All Sizes

- single cutting edge with one beveled edge
- Double cutting edge with two beveled edges so its reversible



SIZES AND SPECS

4.5ft Long

- CAT 1 hookup
- 3 hardened tip cutting edges
- 5 hardened, adjustable teeth (replaceable)
- Painted with a two-part epoxy coating for long lasting shine
- Adjustable ski shoes
- Weighs 460lb
- Rated for 15-20 HP




5ft Long

- CAT 1 hookup
- 3 hardened tip cutting edges
- 6 hardened, adjustable teeth (replaceable)
- Painted with a two-part epoxy coating for long lasting shine
- Adjustable ski shoes
- Weighs 500lb
- Rated for 15-25 HP

6ft Long

- CAT 1 and 2 hookup
- 1 hardened tip cutting edge
- 7 hardened, adjustable teeth (replaceable)
- Painted with a two-part epoxy coating for long lasting shine
- Adjustable ski shoes
- Weighs 570lb
- Rated for 20-40 HP



Cutting Edges Options for All Sizes


- single cutting edge with one beveled edge
- Double cutting edge with two beveled edges so its reversible

**** All sizes come with the special Box Plane Feature, which is the liftable back plate for easy conversion from a box blade to a land plane in seconds. All ease, no pain.**

SIZES AND SPECS

Lengths

- 24" long (weight 145lb)
- 36" long (weight 190lb)
- 60" long (weight 540lb)




Hookups

- Standard including SSQA, Dingo, Mini SSQA, JD Compact, ALO, etc.
- Custom hookups



Features for all Sizes

- Three teeth (1.5" thick steel) in the front for easy piecing
- Painted with a two-part epoxy coating to ensure a long lasting shine
- Jagged side walls for clean slicing through dirt, roots, and brush
- Reinforced side brackets with holes for hooks and chains to pull out logs and and branches
- Heavy Duty built for rough landscaping use



Add-Ons

- Hydraulic powered Thumb for grabbing brush and branches
- Includes x1 hydraulic cylinder with 8ft lines
- Only compatible with 60" long buckets

****Our Stump Bucket is a favorite and one of RT Attach's best-selling attachments — built tough, trusted everywhere!****

SIZES AND SPECS


Lengths

- 48" long (weight 340lb)
- 60" long (weight 345lb)
- 72" long (weight 355lb)

Hookups


Comes with both the CAT 1 hookup and the tow behind. A 2" ball mount is included.

Replaceable



Features for all Sizes


- Strong bearings within each pivot point
- Two air tires included
- Adjustable angling to level the aerator with the ground with the built-in side wheel levers
- Comes painted with a two part epoxy paint for a long-lasting shine



SIZES AND SPECS

5ft Long

- CAT 1 hookup
- 2 hardened tip cutting edges
- 6 hardened, adjustable teeth (replaceable)
- Painted with a two-part epoxy coating for long lasting shine
- Adjustable ski shoes
- Weighs 410lb
- Rated for 15-25 HP




6ft Long

- CAT 1 and 2 hookup
- 2 hardened tip cutting edge
- 7 hardened, adjustable teeth (replaceable)
- Painted with a two-part epoxy coating for long lasting shine
- Adjustable ski shoes
- Weighs 450lb
- Rated for 20-35 HP

Cutting Edges Options for All Sizes

- single cutting edge with one beveled edge
- Double cutting edge with two beveled edges so its reversible



****The Land Plane does NOT come with the adjustable back plate, see Box Plane for those options.**

****Can be pulled behind your RT roller with the connection bar and RT hitch on Page 12.****

LENGTHS AND DRUM SIZES

4ft Long

- Drum height options: 24"- 30"- 36"
- Weight ranging from 320lb-670lb according to drum height
- Custom hookups
- Pillow block bearings for smooth rolling

5ft Long

- Drum height options: 24"- 30"- 36"
- Weight ranging from 410lb-725lb according to drum height
- Custom hookups
- Pillow block bearings for smooth rolling

6ft Long

- Drum height options: 24"- 30"- 36"
- Weight ranging from 460lb-1,085lb according to drum height
- Pillow block bearings for smooth rolling
- Custom hookups



All sizes and lengths come with the rounded side edges to ensure that no grass is dug up when turning.

****We offer custom lengths up to 8ft.****

LAWN ROLLER TO AERATOR

- Adjustable length so it fits all sizes from 4ft-6ft
- For pulling aerator behind the lawn roller for a two-in-one effect
- Direct bolt-on hookup (hardware included)
- Hitch bar compatible with a ball hitch to bolt on
- Adjustable angling to level hitch with the ground when roller is connected to tractor/ATV
- All necessary hardware included



SIZES AND SPECS

Lengths


- 3.5FT - 42"x29"x23.5"
- 4FT - 48"x29"x23.5"
- 5FT - 60"x29"x23.5"
- 6FT - 72"x29"x23.5"

Weight varies due to type of brushes



Hookups

Front tractor/ATV hookup options with a bolt-on attachment plate. Can be switched anytime with ease. We offer any standard or custom hookup plates



Features for all Sizes

- Hydraulic lines included
- Brush options include steel, plastic, and mix of both
- Greaseable side bearing
- Rubber base skirt to block off the flying dust to avoid unnecessary dust trails
- Fully adjustable brush depth, supports up to 6" of brush wear
- Float function on open sweeper concept in the hookup plate to prevent too much brush wear



Add-On's

Attach your sweeper to the RT Low Profile Bucket (page 17) for sweeping debris into the bucket. An easy way to keep dust from flying everywhere and capturing it all to dispose.

****In the near future we will be bringing in wheel casters as an option for the front of the sweeper to level it out, avoiding brush wear.****