



*Creating Solid
Connections
With Every Weld*

PRODUCT CATALOGUE



Please note that RackTurn Weld Inc. is constantly working on new and improved designs and this product catalogue serves only as a quick reference for products and may not include all available features and options.


Index

Heavy Duty Snow Pushers	1
Bale Spears	3
Heavy Duty Forks	4
Box Blades	5
Box Planes	6
Swiv Blades	7
Bale Grappler	8
Stump Buckets	9
Swiv Scrapes	10
Land Planes	11
Rear Hitches	12
Buckets/Stone Buckets	14
Lawn Rollers	15
Cherry Pickers	16
Adapters	17
3PTH Carriers	18
Bollards/Snow Markers	19
Weights	20

Heavy Duty Snow Pushers


Features for 4' to 7' Pushers

- Front to back pivot
- Double sidewall plate added for more structure
- Heavy Duty built
- Custom color
- Poly, rubber, or steel options for shoes and blades.
- Comes with hardware
- Back drag option (comes with blade)
- Side walls bolt-on snow marker option



Attachment options

- Standard Skidsteer
- JD Compact 1-4 Series
- Mini SSQA
- Dingo SSQA
- ALO EURO
- VOLVO L70
- VOLVO L50
- GEHL
- Schaffer
- Manitou
- UHI UWL825HT Wheel Loader



SIZE 4'

- Opening - 15"H x 48.5"W
- 390lb
- Compatible for 10-15 HP tractors

SIZE 4.5'

- Opening -19 "H x 54.5"W
- 330lb
- Compatible for 15-20 HP tractors

SIZE 5'

- Opening -19 "H x 60.5"W
- 390lb
- Compatible for 15-25 HP tractors

SIZE 5.5'

- Opening -19 "H x 66.5"W
- 475lb
- Compatible for 18-30 HP tractors

SIZE 6'


- Opening -23 "H x 72.5"W
- 560lb
- Compatible for 20-35 HP tractors

SIZE 6.5'

- Opening -23 "H x 78.5"W
- 650lb
- Compatible for 20-40 HP tractors

SIZE 7'

- Opening -26 "H x 84.5"W
- 745lb
- Compatible for 40-70 HP tractors



Heavy Duty Snow Pushers

Features for 8' to 14' Pushers

- Front to back pivot
- Double sidewall plate added for more structure
- Heavy Duty built
- Reversible blades
- Custom color
- Backdrag is closed off (comes with blade)
- Side walls bolt-on snow markers option

Attachment options

- Standard Skidsteer
- JD Compact 1-4 Series
- Mini SSQA
- Dingo SSQA
- ALO EURO
- VOLVO L70
- VOLVO L50
- GEHL
- Schaffer
- Manitou
- UHI UWL825HT Wheel Loader

SIZE 8'


- Opening -31"H x 97"W**
- 940lb**
- Compatible for 70-95 HP tractors**

SIZE 14'

- Opening -37"H x 168.5"W**
- 2,470lb**
- Compatible for 125+ HP tractors**


SIZE 9'

- Opening -34.5"H x 109"W**
- 1,275lb**
- Compatible for 95-120 HP tractors**



SIZE 10'

- Opening -34.5"H x 124"W**
- 1,730lb**
- Compatible for 100-120 HP tractors**



SIZE 12'

- Opening -37"H x 144"W**
- 2,100lb**
- Compatible for 125+ HP tractors**

Bale Spears

SSQA Universal Hookup 2/3 Prong

2 Prong Options

- 39" long, 1.75" round tines (2,000 lb rated)
- 49" long, 1.75" round tines (2,000 lb rated)
- Back rack not included

3 Prong Options

- 39" long, 1.75" round tines (2,000 lb rated)
- 49" long, 1.75" round tines (2,000 lb rated)
- Extendable back rack option

ALO Universal Hookup 2/3 Prong

2 Prong Options

- 39" long, 1.75" round tines (2,000 lb rated)
- 49" long, 1.75" round tines (2,000 lb rated)
- Back rack option

3 Prong Options

- 39" long, 1.75" round tines (2,000 lb rated)
- 49" long, 1.75" round tines (2,000 lb rated)
- Extendable back rack option

Bolt On Bale Spear Back Rack


- includes hardware
- Compatible for all bale spear backing plates
- heavy duty built
- Painted custom



Heavy Duty Forks


All Fork Attachment Options

- 42' Forks x2 (1,800lb rated ea)
- 48' Forks x2 (1,800lb rated ea)
- 48" Heavy Duty Forks x2 (3,000lb rated ea)
- backing rack option (includes hardware)
- Pin-on options



Mini SSQA to Forks

- 75lb without forks
- custom color





JD Compact to Forks

- 92lb without forks
- custom color



ALO Universal to Forks

- 127lb without forks
- custom color



Box Blades

4.5' Box Blade 295lb

Single Bevel

- 1 hardened tip cutting edge
- four adjustable hardened teeth
- CAT 1 hookup
- includes hardware

Double Bevel

- 1 reversable hardened tip cutting edge
- four adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 15-20 HP tractors

5' Box Blade 320lb

Single Bevel

- 1 hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware

Double Bevel

- 1 reversable hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 15-25 HP tractors

6' Box Blade 350lb

Single Bevel

- 1 hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware

Double Bevel

- 1 reversable hardened tip cutting edge
- five adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 20-35 HP tractors

7' Box Blade 385lb

Single Bevel

- 1 hardened tip cutting edge
- six adjustable hardened teeth
- CAT 1 hookup
- includes hardware

Double Bevel

- 1 reversable hardened tip cutting edge
- six adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 40-70 HP tractors


8' Box Blade 415lb

Single Bevel

- 1 hardened tip cutting edge
- seven adjustable hardened teeth
- CAT 1 hookup
- includes hardware

Double Bevel

- 1 reversable hardened tip cutting edge
- seven adjustable hardened teeth
- CAT 1 hookup
- includes hardware
- Compatible for 70-95 HP tractors



Box Planes

5' Box Plane/Single

- 2 hardened tip cutting edge
- removable back plate for gravel flow
- six adjustable teeth
- CAT 1 hookup
- includes hardware
- 500lb
- Compatible for 15-25 HP tractors

5' Box Plane/Double


- 2 reversable hardened tip cutting edges
- removable back plate for gravel flow
- six adjustable teeth
- CAT 1 hookup
- includes hardware
- 500lb
- Compatible for 15-25 HP tractors

6' Box Plane/Single

- 2 hardened tip cutting edge
- removable back plate for gravel flow
- seven adjustable teeth
- CAT 1 hookup
- includes hardware
- 570lb
- Compatible for 20-40 HP tractors

6' Box Plane/Double

- 2 reversable hardened tip cutting edges
- removable back plate for gravel flow
- seven adjustable teeth
- CAT 1 hookup
- includes hardware
- 570lb
- Compatible for 20-40 HP tractors



Swiv Blades

Swiv Blade for 4'-7' Pushers

- 9 adjustable slot locations
- ball point pins for easy adjusting
- .125 blade wall
- 1 blade included (rubber option)
- custom color
- Snow pusher not included
- compatible with sizes 4' to 7' snow pushers





Steel, rubber, or poly option
for blade (includes hardware).

Bale Grappler


Bale Grappler x10

- 24 tines (zinc-plated)
- frame is made out of .188 mat.
- 1.78" round skis for easy gliding
- comes with Bolt-On plates for hookup
- SSQA or ALO
- frame is epoxy coated
- x2 divider plates (zinc-coated)
- fully adjustable tine locations
- 8-10 bales capacity
- weighs 710lb
- comes with x1 hydraulic cylinder
- comes with 8ft hydraulic lines
- compatible for 40+ HP tractors/skid steers




- full 90 deg rotation of teeth for an assured grip to the bale

- ski's can be removed to handle larger bales




- an absolute breeze to quickly load and unload the always needed small bales (18x36x16 high)



Stump Buckets


36" Mini Stump Bucket

- Comes in SSQA and JD Compact hookups
- 1.5" teeth
- .25" jagged sides
- double-plated side walls
- 175lb




60" SSQA Stump Bucket/Thumb

- Comes in SSQA and JD Compact hookups
- top thumb included
- 1.5" teeth
- .25" jagged sides
- Double-plated side walls
- 540lb
- Hydraulic cylinder included
- 8ft lines included



60" SSQA Stump Bucket


- 1.5" thick teeth
- 3 teeth
- .25 jagged sides
- double-plated side walls for more structure
- Double plated back wall for more strength
- weighs 290lb



Swiv Scrapes


Manual Swiv Scrapes

- Sizes 6' to 9'
- Angling up to 30 degrees both directions
- skidsteer or ALO universal attachment
- .188" blade wall
- 1 reversable blade included
- rubber blade option
- custom color
- heavy duty
- heavy duty pin included for locking in the angle



Hydraulic Swiv Scrapes

- Sizes 6' to 9'
- x1 cylinder included in hydraulic option
- protective shield for extended hydraulic cylinder
- 8ft hydraulic lines included
- Angling up to 30 degrees both directions
- skidsteer or ALO universal attachment
- .188" blade wall
- 1 reversable blade included
- rubber option for blade
- custom color
- heavy duty



Land Planes

5ft Land Plane/Single

- 2 single bevel cutting edges
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 6 teeth included
- custom color
- CAT 1 hookup
- 410lb
- Compatible for 15-25 HP tractors

5ft Land Plane/Double



- 2 double bevel cutting edges (reversible)
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 6 teeth
- custom color
- CAT 1 hookup
- 410lb
- Compatible for 15-25 HP tractors

6ft Land Plane/Single

- 2 single bevel cutting edges
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 7 teeth
- custom color
- CAT 1 hookup
- 450lb
- Compatible for 20-35 HP tractors

6ft Land Plane/Double

- 2 double bevel cutting edges (reversible)
- .5" blade thickness
- adjustable hardened shoes
- adjustable hardened tip teeth
- 7 teeth
- custom color
- CAT 1 hookup
- 450lb
- Compatible for 20-35 HP tractors



Rear Hitches

Quick I-Hitch


Cat 1 I-Hitch

- Custom color
- Weight 56 lb
- Item size 31"x25"x6.5"
- 2,000 lb rated
- CAT 1 Hookup
- Bushing required
(not included)



Cat 0 A Frame Hitch

- Custom Color
- Weight 14 lbs
- Item size 25.5"x14.5"x7"
- includes x2 pins
- 800 lb rated




Cat 1 A Frame Hitch

- Custom color
- Weight 25 lbs
- Item size 32"x20.5"x7"
- includes x2 pins
- 1,000 lb rated




Cat 2 A Frame Hitch

- Custom color
- Weight 50 lbs
- Item size 37.75"x20"x9"
- includes x2 pins
- hook welded onto hitch tube
- 1,000 lb rated



Cat 0 Suitcase Weight Hitch

- Custom Color
- Weight 21 lbs
- Item size 25.5"x14.5"x7"
- includes x2 pins
- 800 lb rated



Rear Hitches


Cat 1 Suitcase Weight Hitch

- Custom color
- Weight 25 lbs
- Item size 32"x20.5"x7"
- hook welded onto hitch tube
- includes x2 pins
- 2,000 lb rated



Cat 2 Suitcase Weight Hitch

- Custom color
- Weight 55 lbs
- Item size 37.75"x20"x9"
- chain hook welded onto hitch tube
- includes x2 pins
- 1,000 lb rate



Cat 3 A Frame/Suitcase Hitch


- Custom Color
- Weight 105 lbs
- Item size 44.5"x25"x7"
- 14,000 lb rated
- Fits a CAT 3N or 3 lift arm setup
- Comes with x2 chain hooks
- includes x2 pins
- Both options of a 2" or 2.5" hitch insert opening



Buckets/Stone Buckets

Heavy Duty Bucket Options for All Sizes

- Low profile
- SSQA
- custom color
- hardened tip cutting edge
- double back wall plate added for more structure
- Hardened reversable cutting edge



SIZE 4'

- 18"tall
- 24"deep
- 246lb

SIZE 5'

- 18"tall
- 24"deep
- 308lb

SIZE 6'

- 20"tall
- 28"deep
- 370lb

SIZE 7'

- 20"tall
- 28"deep
- 432lb

Heavy Duty Stone Bucket Options for All Sizes

- Low profile
- Mini SSQA, SSQA Standard or JD Compact
- Heavy Duty (.375" teeth)
- Light Duty (.25" teeth)
- Hardened jagged edge to ensure lifetime use
- custom color



SIZE 4'

- 18"tall
- 24"deep
- 190lb
- 2.5" teeth spacing

SIZE 5'

- 18"tall
- 24"deep
- 205lb
- 2.75" teeth spacing

SIZE 6'

- 20"tall
- 28"deep
- 370lb
- 2.75" teeth spacing

SIZE 7'

- 20"tall
- 28"deep
- 420lb
- 3.5" teeth spacing


SIZE 8'

- 20"tall
- 28"deep
- 470lb
- 3.5" teeth spacing

Lawn Rollers

4 ft Lawn Roller 1,200 lbs

- Item size 61"x62.5"x26
- Recommended for 15-30 HP tractors
- Weight 255 lbs (empty)
- .125 wall
- pillow-block bearings
- custom hookup



5 ft Lawn Roller 1,400 lbs

- Item size 70"x62.5"x26
- Recommended for 15-30 HP tractors
- Weight 290 lbs (empty)
- .125 wall
- pillow-block bearings
- custom hookup



6 ft Lawn Roller 1,600 lbs


- Item size 70"x74"x26
- Recommended for 30+ HP tractors
- Weight 325 lbs (empty)
- .125 wall
- pillow-block bearings
- custom hookup



Cherry Pickers

24" Arm

- 3" Sq tubing structure
- custom color
- SS hook with clevis pin
- For suitcase weight models
- Item size 27"x10"x3"
- 1,500 lbs rated
- weighs 25 lbs



48" Arm



- 2.5 Sq tubing structure
- custom color
- For suitcase weight models
- SS hook with clevis pin
- Item size 51"x36"x4"
- 1,200 lbs rated
- Weighs 35 lbs



Adapters

SS to Hitch

- .25" back wall
- .25" side walls




Mini SS to Hitch

- .375" back wall
- .25" side walls

PIN ON CONVERSIONS TO MALE SSQA

- can be any pin on loader arms which converts to standard ssqa hookup latches



ALO & SSQA bracket bolt-on Mount Plates


- .375" wall
- BOLTS INCLUDED



3PTH Carriers

Tool Carrier


- 54"W x 36" L
- 33" height
- 2x2 tubing/angle structure
- Fork pocket slots
- custom color
- 8"x3" steel compartment for small tools
- No pins included
- Mesh base
- 140lb



Mesh Base

Firewood Carrier

- 60"W x 36" L
- 33" height
- 2x2 tubing/angle structure
- Fork pocket slots
- custom color
- 8"x3" steel compartment for small tools
- No pins included
- mesh base
- 250lb



Bollards/Snow Markers

Bollards

- 42" tall
- 3.5"OD .5" wall pipe
- high reflective tape
- dome head



- 48" tall
- 3.5"OD .5" wall pipe
- high reflective tape
- dome head




Snow Markers

- 51" tall
- .375 Rod
- 4 sided
- hole located on the head for easy spring hang-up
- High reflective tape

Weights


Suitcase Weights

- 1.375 mat.
- 13" tall x11" wide
- painted
- with rounded handle
- 40lb ea





CAT 1 Quick Connect Weight Box

- 250-600 lb
- quick hitch compatible
- 28" tall x24" wide
- CAT 1 tractor hookup
- Lid is removable
- Drain holes in the base
- Custom color
- Pins included
- 3 tool holders on 1 side
- Includes a hitch and hook setup on the back side
- Includes quick connect bar



CAT 1 or 2 Weight box

- 250-600 lb
- 30.5" tall x24" wide
- CAT 1 tractor hookup
- Lid placed solid
- Drain holes in the base
- Custom color
- Pins included



CAT 2 Quick Connect Weight Box

- 250-1,000 lb
- quick hitch compatible
- 32" tall x31" wide
- CAT 2 tractor hookup
- Lid is removable
- Drain holes in the base
- Custom color
- Pins included
- 3 tool holders on 1 side
- Includes a hitch and hook setup on the back side
- Includes quick connect bar